

DETAILED ACTION

Response to Amendment

1. The reply filed on May 27, 2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

No response to the rejections under 35 USC 112 has been provided.

The specification has not been amended to be consistent with the change made to the drawings.

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRED H. MULL whose telephone number is (571)272-6975. The examiner can normally be reached on Monday through Friday from approximately 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas H. Tarcza can be reached on 571-272-6979. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3662

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Fred H. Mull
Examiner
Art Unit 3662

/Fred H. Mull/
Examiner, Art Unit 3662

/Thomas H. Tarcza/

Supervisory Patent Examiner, Art Unit 3662